

FORM PTO-1449/A and B (modified PTO/SB/08)

INFORMATION DISCLOSURE

STATEMENT BY APPLICANT

1

Sheet

of

6

APPLICATION NO.: 10/574,034

ATTY. DOCKET NO.: B0801.70356US01

FILING DATE:

May 2, 2007

CONFIRMATION NO.: 9154

APPLICANT:

Robert Bucki et al.

GROUP ART UNIT: 1645

EXAMINER:

S. J. N. Devi

U.S. PATENT DOCUMENTS

Examiner's	Cite	U.S. Patent Document		Name of Patentee or Applicant of Cited	Date of Publication or Issue
Initials #	No.	Number	Kind Code	Document Document	of Cited Document MM-DD-YYYY
		5,071,773		Evans et al.	12-10-1991
		5,260,224	Α	Stossel et al.	11-09-1993
		5,407,821		Breakefield et al.	04-18-1995
		5,464,817	Α	Stossel et al.	11-07-1995
		5,508,265	Α	Stossel et al.	04-16-1996
		5,569,588		Ashby et al.	10-29-1996
		5,593,964		Goldstein et al.	01-14-1997
		5,656,589	Α	Stossel et al.	08-12-1997
		5,691,160	Α	Janmey et al.	11-25-1997
		5,744,303		Teng et al.	06-30-1998
		5,750,353		Kopin et al.	05-12-1998
,		5,925,529		Coughlin et al.	07-20-1999
		6,271,353	B1	Nakamura et al.	08-07-2001
		2004/0141961	Al	Demeester et al.	07-22-2004

FOREIGN PATENT DOCUMENTS

Examiner's	Cite	Foreign Patent Document		ent	Name of Patentee or Applicant of Cited	Date of Publication of	Translation
Initials # No.		Office/ Country Number		Kind Code	Document	Cited Document MM-DD-YYYY	(Y/N)
		WO	05/046454	A2	Trustees of the University of Pennsylvania	05-26-2005	Y
		wo	00/55350	A1	Human Genome Sciences, Inc.	09-21-2000	Y
		WO	04/035008	A2	Regenerx Biopharmaceuticals, Inc.	04-29-2004	Y
		wo	94/04704	A1	Brigham and Women's Hospital	03-03-1994	Y
		wo	91/15770	A 1	Brigham and Women's Hospital	10-17-1991	Y
		WO	94/22465	A1	Brigham and Women's Hospital	10-13-1994	Y
		wo	05/112970	A2	Brigham and Women's Hospital	12-01-2005	Y

OTHER ART — NON PATENT LITERATURE DOCUMENTS

Examiner's Initials #	Cite No	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation (Y/N)				
		ANNERMAN et al., "Increased Levels of LPS-Binding Protein in Bovine Blood and Milk ollowing Bacterial Lipopolysaccharide Challenge," <i>J. Dairy Sci.</i> , Vol. 86, pgs. 3128-3137 (2003)					
		BECKER et al., "The antimicrobial activity of the cathelicidin LL37 is inhibited by F-actin bundles and restored by gelsolin," <i>Amer. Journal of Respiratory Cell and Molecular Biology</i> , Vol. 28, No. 4, (2003), pgs. 478-484					

FODM DTC	0-1449/A and B (m	odifie	1 DTO/SD/09)	APPLICATION NO.:	10/574,034	ATTY. DOCKET NO.:	B0801.70356US01
	RMATION D		,	FILING DATE:	May 2, 2007	CONFIRMATION NO.	9154
	EMENT BY			APPLICANT:	Robert Bucki et al.		
				CDOUD ART INIT.	1645	EXAMINER:	S. J. N. Devi
Sheet 2 of 6		6	GROUP ART UNIT:	1043	EXAMINER:	5. J. N. Devi	

Examiner's	Cite	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher,	Translation
Initials #	No	city and/or country where published.	(Y/N)
		BERER et al., "Are the serum levels of endotoxin-binding proteins reliable predictors of	
		complications in the course of peritonitis?," European Journal of Clinical Investigation, Vol. 20,	
		pgs. 66-71 (1990)	
		BERGER et al, "Evidence for endotoxin binding capacity of human Gc-globulin and transferrin,"	
		Clinica Chimica Acta, Vol. 163, pgs. 289-299 (1987)	,
		BEUTLER et al, "Sepsis and evolution of the innate immune response," Crit Care Med, Vol. 29, No. 7, pgs. S2-S7 (2001)	
		BOWMAN et al., "Cultured Astrocytes Express Toll-Like Receptors for Bacterial Products," Glia, Vol. 43, pgs. 281-291 (2003)	
****		BSIBSI et al., "Broad Expression of Toll-Like Receptors in the Human Central Nervous System,"	
		J Neuropathology Exp. Neurol., Vol. 61, No. 11, pgs. 1013-1021 (2002)	
-		BOSSHART et al., "Endotoxin-neutralizing effects of histidine-rich peptides, FEBS Letters, Vol. 553, pgs. 135-140 (2003)	
		BRANDENBURG et al., "Physicochemical properties of bacterial glycopolymers in relation to bioactivity," <i>Carbohydrate Research</i> , Vol. 338, pgs. 2477-2489 (2003)	
•		CASAS et al., "Reconstituted High-Density Lipoprotein Reduces LPS-Stimulated TNF," J. Sur. Res., Vol. 59, pgs. 544-552 (1995)	
		CHRISTOFIDOU-SOLOMIDOU et al., "Changes in plasma gelsolin concentration during acute	
		oxidant lung injury in mice," <i>Lung</i> , Vol. 180, No. 2, (2002) pgs. 91-104	
•		CHRISTOFIDOU-SOLOMIDOU et al., "Recombinant Plasma Gelsolin Diminishes the Acute	
		Inflammatory Response to Hyperoxia in Mice," J. Invest. Med., Vol. 50, No. 1, pgs. 54-60 (2002)	
		CUNNINGHAM et al, "Cell Permeant Polyphosphoinostide-binding Peptides that Block Cell	
		Motility and Actin Assembly," <i>J. Biol. Chem.</i> , Vol. 276, pgs. 43390-43399 (2001)	
		DAHL et al., "Plasma concentration of Gc-globulin is associated with organ dysfunction and sepsis	
		after injury," Crit. Care Med, Vol. 31, No. 1, pgs. 152-156 (2003)	
		DAHL et al, "Plasma Gelsolin is Reduced in Trauma Patients," Shock, Vol. 12, pgs. 102-104 (1999)	
		DAHL et al., "Serum Gc-globulin in the early course of multiple trauma," Crit. Care Med., Vol. 26,	
		No. 2, pgs. 285-289 (1998)	
		DiNUBILE et al, "Prognostic implications of declining plasma gelsolin levels after allogeneic stem cell transplantation," <i>Blood</i> , Vol. 100, No. 13, pgs. 4367-4371 (2002)	
		ERRIDGE et al., "Structure and function of lipopolysaccharides," <i>Microbes Infect.</i> , Vol. 4, No. 8, pgs. 837-851 (2002)	
		FAURE et al., "Bacterial Lipopolysaccharide Activates NF-kB through Toll-like Receptor 4 (TLR-	
		4) in Cultured Human Derman Endothelial Cells," J. Biol. Chem., Vol. 275, No. 15, pgs. 11058-11063 (2000)	
		FLANAGAN et al., "The S tructure of Divalent Cation-Induced Aggregates of PIP ₂ and their Alteration of Gelsolin and Tau," <i>Biophysical Journal</i> , Vol. 73, pgs. 1440-1447 (1997)	
		GINSBURG, "Role of lipoteichoic acid in infection and inflammation," Lancet Infect. Diseases,	
		Vol. 2, pgs. 171-179 (2002)	
		GOETZL et al., "Gelsolin Binding and Cellular Presentation of Lysophosphatidic Acid," J. Biol. Chem., Vol. 275, No. 19, pgs. 14573-14578 (2000)	
		GOLDSCHMIDT-CLERMONT et al., "Role of Group-specific Component (Vitamin D Binding	
		Protein) in Clearance of Actin from the Circulation in the Rabbit," J. Clin. Invest., Vol. 81, pgs. 1519-1527 (1988)	

FORM PTO	0-1449/A and B (m	odifie	1 PTO/SR/08)	APPLICATION NO.:	10/574,034	ATTY. DOCKET NO.:	B0801.70356US01	
	`		,	FILING DATE:	May 2, 2007	May 2, 2007 CONFIRMATION NO.: 9154		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				APPLICANT:	Robert Bucki et al.			
				CDOUD ADT INUT.	1646	EV AMDIED.	C I N Davi	
Sheet 3 of 6			GROUP ART UNIT:	1043	EXAMINER: S. J. N. Devi			

Examiner's Initials #	Cite No	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher,	Translation (Y/N)
		city and/or country where published.	(1711)
		GUTSMANN et al., "Dual Role of Lipopolysacharide (LPS)-Binding Protein in Neutralization of	
		LS and Enhancement of LPS-Induced Activation of Mononuclear Cells," <i>Infect. and Immun.</i> , Vol.	
		69, No. 11, pgs. 6942-6950 (2001)	
		HARRIS et al., "Lipoprotein-bound LPS induces cytokine tolerance in hepatocytes," J. of Endotoxin	
		Res., Vol. 9, pgs. 45-50 (2003)	***
		HATTAR et al., "Lipoteichoic acid (LTA) from Staphylococcus aureus stimulates human neutrophil	
		cytokine release by a CD14-dependent, Toll-like-receptor-independent mechanism: Autocrine role	
		of tumor necrosis factor-a in mediating LTA-induced interleukin-8 generation," Crit. Care Med.,	
		Vol. 34, pgs. 835-841 (2006)	
		HAYTER et al., "Neutron Scattering Analysis of Bacterial Lipopolysaccharide Phase Structure," J.	
		Biol. Chem., Vol. 262, pgs. 5100-5105 (1987)	
		HUANG, "Temporal Association Between Serum Gelsolin Levels and Clinical Events in a Patient	
		With Severe Falciaparum Malaria," Clinical Infectious Diseases, Vol. 24, pgs.951-954 (1997)	
		HUMMELL et al., "Bacterial Lipoteichoic Acid Sensitizes Host Cells for Destruction by	
		Autologous Complement," J. Clin. Invest., Vol. 77, No. 5, pgs. 1533-1538 (1986)	
		IGARASHI et al., "Sphingosine-Phosphate Content in the Plasma of Platelet Concentrates	
		Correlates with Poor Platelet Increments after Transfusion and with occurrences of Transfusion	,
_			
		Reactions in Patients," Am. J. Hematol., Vol. 57, pgs. 261-262 (1998)	
		JAMMEY et al., "Modulation of gelsolin function by phosphatidylinositol 4,5-bisphosphate,	
•		Nature, Vol. 325, pgs. 362-364 (1987)	
		JAMMEY et al., "Interactions of Gelsolin and Gelsolin-Actin Complexes with Actin. Effects of	
		Calcium on Actin Nucleation, Filament Severing, and End Blocking," <i>Biochemistry</i> , Vol. 24, pgs.	
		3714-3723 (1985)	
		JAMMEY et al., "Polyphosphoinositide Micelles and Polyphosphoinositide-containing Vesicles	
		Dissociate Endogenous Gelsolin-Actin Complexes and Promote Actin Assembly from the Fast-	
		growing End of Actin Filaments Blocked by Gelsolin," J. Biol. Chem., Vol. 262, pgs. 12228-12236	
		(1987)	
		JAMMEY et al., "Phosphoinositide-binding Peptides Derived from the Sequences of Gelsolin and	
		Villin," J. Biol. Chem., Vol. 267, pgs. 11818-11823 (1992)	
		JAMMEY et al., "Capacity of Human Serum to Depolymerize Actin Filaments," Blood, Vol. 70,	
		pgs. 524-530 (1987)	
		JAMMEY et al., "Deconstructing gelsolin: identifying sites that mimic or alter binding to actin and	
		phosphoinositides," Chem. Biol., Vol. 5, pgs. R81-R85 (1998)	
		JORGENSEN et al., "Peptidoglycan and Lipoteichoic Acid Modify Monocyte Phenotype in Human	
		Whole Blood," Clin. Diagn. Lab. Immunol., Vol. 8, pgs. 515-521 (2001)	
		KAWAMURA et al., "Lipoteichoic Acid-Induced Neutrophil Adhesion via E-Selectin to Human	
		Umbilical Vein Endothelial Cells (HUVECs)," Biochem. Biophys. Res. Commun., Vol. 217, pgs.	
		1208-1215 (1995)	
		KOUYAMA et al., "Fluorimetry Study of N-(1-Pyrenyl)iodoacetamide-Labelled F-Actin," Eur. J.	
		Biochem., Vol. 114, pgs. 33-38 (1981)	
		KWIATKOWSKI et al., "Plasma and cytoplasmic gelsolins are encoded by a single gene and	
		contain a duplicated actin-binding domain," <i>Nature</i> , Vol. 323, pgs. 455-458 (1986)	
		KWIATKOWSKI et al., "Functions of gelsolin: motility, signaling, apoptosis, cancer," Curr. Opin.	
		Cell Biol., Vol. 11, pgs. 103-108 (1999)	

FORM PTO	0-1449/A and B (m	odifie	1 PTO/SR/08)	APPLICATION NO.:	10/574,034	ATTY. DOCKET NO	.: B0801.70356US01
	•		,	FILING DATE:	May 2, 2007	CONFIRMATION N	O.: 9154
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				APPLICANT:	Robert Bucki et al.		
				CDOUD ADTIBUT	1645	EVALUED.	C I N Davi
Sheet 4 of 6		GROUP ART UNIT:	1645	EXAMINER:	S. J. N. Devi		

Examiner's Initials #	Cite No	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation (Y/N)
		KWIATKOWSKI et al., "Muscle is the Major Source of Plasma Gelsolin," J. Biol. Chem., Vol. 263, pgs. 8239-8243 (1988)	
		LEE et al., "The Extracellular Actin-Scavenger System and Actin Toxicity," N. Engl. J. Med., Vol. 326, pgs. 1335-1341 (1992)	
		LEE et al., "Relationship of Plasma Gelsolin Levels to Outcomes in Critically III Surgical Patients," <i>Annals of Surgery</i> , Vol. 243, No. 3, pgs. 399-403 (2006)	
		LEE et al., "Plasma Gelsolin Levels Predict the Outcomes of Critically III Patients in Surgical Intensive Care Unit", American Thoracic Society International Conference, A627, Vol. 169, No. 7, April 2004 (ATS 2004 - Orlando) - ABSTRACT	
		LI et al., "The critical micelle concentrations of Lysophosphatidic acid and sphingosylphosphorylcholine," <i>Chem. Phys. Lipids</i> , Vol. 130, pgs. 197-201 (2004)	
		LIEPINA et al., "Molecular Dynamics Study of a Gelsolin-Derived Peptide Binding to a Lipid Bilayer Containing Phosphatidylinositol 4,5-Bisphosphate," <i>Biopolymers</i> , Vol. 71, pgs. 49-70 (2003)	
		LIND et al., "Role of Plasma Gelsolin and the Vitamin D-binding Protein in Clearing Actin from the Circulation," J. Clin. Invest., Vol. 78, pgs. 736-742 (1986)	
•		MASOVER et al., "The effect of growth and urea concentration on ammonia production by a ureahydrolysing mycoplasma (Ureaplasma urealyticum," J. Gen. Microbiol., Vol. 98 (1977)	
		MATHISON et al., "Plasma Lipopolysaccharide (LPS)-Binding Protein, A Key Component in Macrophage Recognition of Gram-Negative LPS," J. Immun., Vol. 149, pgs 200-206 (1992)	
		MEERSCHAERT et al., "Gelsolin and functionally similar actin-binding proteins are regulated by lysophosphatidic acid," <i>EMBO Journal</i> , Vol. 17, pgs. 5923-5932 (1998)	
		MERTSOLA et al., "Release of endotoxin after antibiotic treatment of Gram-negative bacterial meningitis," <i>Ped. Inf. Dis. J.</i> , Vol. 8, pgs. 904-906 (1989)	
		MINTZER et al., "Lysophosphatidic acid and lipopolysaccharide bind to the PIP ₂ -binding domain of gelsolin," <i>Biochem. Biophysic. Acta</i> , Vol. 1758, pgs. 85-98 (2006)	
		MOUNZER et al., "Relationship of Admission Plasma Gelsolin Levels to Clinical Outcomes in Patients after Major Trauma," Am. J. Respir. Crit. Care Med., Vol. 160, pgs. 1673-1681 (1999)	
		NUGENT et al., "Sphingosine-1-phosphate: characterization of its inhibition of platelet aggregation," <i>Platelets</i> , Vol. 11, pgs. 226-232 (2000)	
		OVERLAND et al., "Lipoteichoic Acid is a Potent Inducer of Cytokine Production in Rat and Human Kupffer Cells <i>In Vitro</i> ," Sur. Infect., Vol. 4, No. 2, pgs. 181-189 (2003)	
		RIEDEMANN et al., "The enigma of sepsis," <i>J. Clin. Invest.</i> , Vol. 112, pgs. 460-467 (2003) ROGERS et al., "Relationship of Gelsolin Levels to Outcomes in Critically Ill Patients", Journal of Surgical Research, Vol. 107, No. 2, (October 2002), (ISSN 0022-4804) - ABSTRACT	
		ROTHENBACH et al., "Recombinant plasma gelsolin infusion attenuates burn-induced pulmonary microvascular dysfunction," <i>J. Appl. Physiol.</i> , Vol. 96, pgs. 25-31 (2004)	
		RUSTICI et al., "Molecular Mapping and Detoxification of the Lipid A Binding Site by Synthetic Peptides," <i>Science</i> , Vol. 259, pgs. 361-365 (1993)	
		SALAT et al., "The Relevance of Plasminogen Activator Inhibitor 1 (PAI-1) as a Marker for the Diagnosis of Hepatic Veno-Occlusive Disease in Patients after Bone Marrow Transplantation," Leukemia and Lymphoma, Vol. 33, pgs. 25-32 (1999)	
		SAURA et al., "Microglial apolipoprotein E and astroglial apolipoprotein J expression in vitro: opposite effects of lipopolysaccharide," J. Neurochem. Vol. 85, pgs. 1455-1467 (2003)	

FORM PTO)-1449/A and B (m	nodifie	1 PTO/SR/08)	APPLICATION NO.:	10/574,034	ATTY. DOCKET NO.:	B0801.70356US01
	RMATION I		ŕ	FILING DATE:	May 2, 2007	CONFIRMATION NO.	: 9154
	EMENT BY			APPLICANT:	Robert Bucki et al.		
				CDOUD ADTIBUT.	1645	EXAMINER:	S. J. N. Devi
Sheet	Sheet 5 of 6		GROUP ART UNIT:	1043	EAAMINER: S. J. N. Devi		

Examiner's Initials #	Cite No	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation (Y/N)
		SCARBOROUGH et al., "Aggregation of Platelets by Muscle Actin. A Multivalent Interaction Model of Platelet Aggregation by ADP," <i>Biochem. Biophys. Res. Comm.</i> , Vol. 100, pgs. 1314-1319 (1981)	
		SCHRODER et al., "Lipoteichoic Acid (LTA) of Streptococcus pneumoniae and Staphylococcus aureus Activates Immune Cells via Toll-like Receptor (TLR)-2, Lipopolysaccharide-binding Protein (LBP), and CD14, whereas TLR-4 and MD-2 Are Not Involved," <i>J. Biol. Chem.</i> Vol. 278, pgs. 15587-15594 (2003)	
		SCHULTZ et al., "Animal and human models for sepsis," Ann. Med., Vol. 34, pgs. 573-581 (2002)	
		SHEU et al., "Mechanisms involved in the antiplatelet activity of Escherichia coli lipopolysaccharide in human platelets," <i>Br. J. Haemat.</i> , Vol. 103, pgs. 29-38 (1998) SHIMAZU et al., "MD-2, a Molecule that Confers Lipopolysaccharide Responsiveness on Toll-like	1
		Receptor 4," J. Exp. Med., Vol. 189, pgs. 1777-1782 (1999)	
		SMITH et al., "Decreased Plasma Gelsolin Levels in Patients with Plasmodium falciparum Malaria: A Consequence of Hemolysis?" <i>Blood</i> , vol. 72, pgs. 214-218 (1988)	
•		SPUDICH et al., "The Regulation of Rabbit Skeletal Muscle Contraction, I. Biochemical studies of the interaction of the tropomyosin-troponin complex with actin and the proteolytic fragments of myosin," <i>J. Biol. Chem.</i> , Vol. 246, pgs. 4866-4871 (1971)	
•		STOSSEL, Thomas P., "From Signal to Pseudopod, How Cells Control Cytoplasmic Actin Assembly," J. Biol. Chem., Vol. 264, pgs. 18261-18264 (1989)	
		SUHLER et al., "Decreased plasma gelsolin concentrations in acute liver failure, myocardial infarction, septic shock, and myonecrosis," <i>Crit. Care Med.</i> , Vol. 25, pgs. 594-598 (1997)	
		SUN et al., "Gelsolin, a Multifunctional Actin Regulatory Protein," J. Biol. Chem., Vol. 274, pgs. 33179-33182 (1999)	
		TAUBER et al., "Antibiotic therapy, Endotoxin Concentration in Cerebrospinal Fluid, and Brain Edema in Experimental Escherichia coli Meningitis in Rabbits," J. Infect. Diseases, Vol. 156, pgs. 456-462 (1987)	
		THOMAS et al., "Biopanning of endotoxin-specific phage displayed peptides," <i>Biochem. and Biophys. Res. Comm.</i> , Vol. 307, pgs. 133-138 (2003)	
		TOBIAS et al., "Control of Lipopolysaccharide-High-Density Lipoprotein Interactions by an Acute-Phase Reactant in Human Serum," <i>Infection and Immun.</i> , Vol. 50, pgs. 73-76 (1985)	
		TOBIAS et al., "Isolation of a lipopolysaccharide-binding acute phase reactant from rabbit serum," J. Exp. Med., Vol. 164, pgs. 777-793 (1986)	
		TUOMINEN et al., "Fluorescent phosphoinositide derivatives reveal specific binding of gelsolin and other actin regulatory proteins to mixed lipid bilayers," <i>Eur. J. Biochem.</i> , Vol. 263, pgs. 85-92 (1999)	
		VAN OOSTEN et al., "Scavenger receptor-like receptors for the binding of lipopolysaccharide and lipoteichoic acid to liver endothelial and Kupffer cells," <i>J. Endotoxin Res.</i> , Vol. 7, pgs. 381-384 (2001)	
		VILLA et al., "Pattern of Cytokines and Pharmacomodulation in Sepsis Induced by Cecal Ligation and Puncture Compared with that Induced by Endotoxin," Clin. Diag. Lab. Immun., Vol. 2, pgs. 549-553 (1995)	
		VREUGDENHIL et al., "Lipopolysaccharide (LPS)-Binding Protein Mediates LPS Detoxification by Chylomicrons," <i>J. Immun.</i> , Vol. 170, pgs. 1399-1405 (2003)	

FORM PTO	D-1449/A and B (m	odifie	d PTO/SP/08)	APPLICATION NO.:	10/574,034	ATTY. DOCKET NO	D.: B0801.70356US01
	RMATION I		,	FILING DATE:	May 2, 2007	CONFIRMATION N	IO.: 9154
1	EMENT BY			APPLICANT:	Robert Bucki et al.		
				CDOLUD ADMILIDAM	1646	DV AN (D) FED	CIND.
Sheet 6 of 6		GROUP ART UNIT:	1645	EXAMINER:	S. J. N. Devi		

Examiner's Initials #	Cite No	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation (Y/N)
		WANG et al., "HMG-1 as a Late Mediator of Endotoxin Lethality in Mice," <i>Science</i> , Vol. 285, pgs. 157-288 (1999)	
		WARE et al., "The Acute Respiratory Distress Syndrome," N. Engl. J. Med., Vol. 342, pgs. 1334-1349 (2000)	
		WATSON et al., "Genetic Control of Responses to Bacterial Lipopolysaccharides in Mice, II. A Gene that Influences a Membrane Component Involved in the Activation of Bone Marrow-derived Lymphocytes by Lipopolysaccharides," <i>J. Immun.</i> , Vol. 114, pgs. 1462-1468 (1975)	
		WEINER, "The Antimicrobial Activity of the Cathelicidin LL37 Is Inhibited by F-actin Bundles and Restored by Gelsolin," (Am. J. Respir. Cell Mol. Biol. Vol. 28, pp. 738-745, 2003)	
		WEN et al., "The Plasma and Cytoplasmic Forms of Human Gelsolin Differ in Disulfide Structure," Biochemistry, Vol. 35, pgs. 9700-9709 (1996)	
		YAMAMURA et al., "Sphingosine-1-phosphate inhibits actin nucleation and pseudopodium formation to control cell motility of mouse melanoma cells," <i>FEBS Letters</i> , Vol. 382, pgs. 193-197 (1996)	
		YATOMI, Y., "Sphingosine 1-Phosphate in Vascular Biology: Possible Therapeutic Strategies to Control Vascular Diseases," <i>Current Pharma. Design</i> , Vol. 12, pgs. 575-587, (2006)	

EXAMINER:	DATE CONSIDERED:
•	
L	

[NOTE – No copies of U.S. patents, published U.S. patent applications, or pending, unpublished patent applications stored in the USPTO's Image File Wrapper (IFW) system, are included. See 37 CFR §1.98 and 1287OG163. Copies of all other patent(s), publication(s), unpublished, pending U.S. patent applications, or other information listed are provided as required by 37 CFR §1.98 unless 1) such copies were provided in an IDS in an earlier application that complies with 37 CFR §1.98, and 2) the earlier application is relied upon for an earlier filing date under 35 U.S.C. §120.]

^{*} EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

^{*}a copy of this reference is not provided as it was previously cited by or submitted to the office in a prior application, Serial No. ___, filed ___, and relied upon for an earlier filing date under 35 U.S.C. 120 (continuation, continuation-in-part, and divisional applications).